

# ADJUSTABLE WRENCH



They are forged from the finest quality Chrome Vanadium Steel fully hardened & tempered for strength and as per DIN standards. Treated with utmost care they have an excellent well ground and smooth easy grip surface. Spanners are manufactured in mm and inch sizes and available in different finishes. Ring profile does not damage or distort bolt edges and there is maximum transfer of evenly distributed force all around. The open end spanner also has an optimized design for maximum torque transmission.

Nickel Chrome Plated / Insulated Dip Sleeve / Phosphated / Wide Jaw



**HIGH PRECISION**

## 451 Adjustable Wrench

- Drop Forged
- Crv - Chrome Vanadium Steel
- Insulated Dip Sleeve
- Black Phosphated

**AVAILABLE**

- ✓ With Private Logo (\*MOQ Required)
- ✓ In different sales packing. Ref: Page No. 47
- ✓ With or Without Scale



NICKLE CHROME PLATED



Insulated  
Dip Sleeve



Black  
Phosphated

Article no.	Size		Qty./Ctn. Pcs.	Net Wt. Kgs.	Gr.Wt Kgs.	Weight
	mm	inch				
4510150	150	6"	100	12.000	13.500	0.120
4510200	200	8"	80	20.400	21.900	0.255
4510250	250	10"	40	15.600	17.100	0.390
4510300	300	12"	30	19.200	20.700	0.640
4510375	375	15"	20	22.7	24.2	1.135
4510450	450	18"	10	18.2	19.7	1.820
4510600	600	24"	6	19.05	20.55	3.175



## 402 Adjustable Wrench

- Drop Forged
- Carbon Steel

### AVAILABLE

- ✓ With Private Logo (\*MOQ Required)
- ✓ In different sales packing. Ref: Page No. 47
- ✓ With or Without Scale

### OPTIONS

- Black Phosphated
- Nickle Chrome Plated
- Insulated Dip Sleeve



Insulated  
Dip Sleeve



Black  
Phosphated

Article no.	Size		Qty./Ctn. Pcs.	Net Wt. Kgs.	Gr.Wt Kgs.	Weight
	mm	inch				
4020150	150	6"				0.120
4020100	200	8"	80	20.400	21.900	0.255
4020250	250	10"	40	15.600	17.100	0.390
4020300	300	12"	30	19.200	20.700	0.640
4020375	375	15"	20	22.7	24.2	1.135
4020450	450	18"	10	18.2	19.7	1.820
4020600	600	24"	6	19.05	20.55	3.175

## 455 Adjustable Wrench - Wide Jaw

- Drop Forged
- Crv - Chrome Vanadium Steel



Article no.	Size		Qty./Ctn. Pcs.	Net Wt. Kgs.	Gr.Wt Kgs.	Weight
	mm	inch				
4550150	250	10"	40	.510	20.400	21.900